



MINI SOUND SHELTER

The **250LP "Mini" Sound Shelter™** provides calibrated acoustical environments to meet test/space/budget requirements for audiological and psychological examination and research.

IDEALLY SUITED FOR

- Industrial-Monitoring Audiometry
- Public School - Identification Audiometry
- Pure-Tone Threshold Audiometry (air and bone)
- Speech Audiometry (through earphones)
- Psychological Data Recording
- Hearing Health Professionals
- Mobile Test Vans

EQUIPPED WITH:

- 36 in. wide Noise-Lock® magnetic-seal door for safety and ready access
- Tranquil-Aire® silent forced ventilation system
- Double-glazed 1/4 in. thick safety glass in aluminum frame 25 in. high x 22 in. wide
- Outside mounted shelf - 16 in. x 32 in.
- Casters for ready positioning or repositioning of booth

READY TO GO TO WORK:

- Shipped fully equipped and assembled
- Passes through any standard door opening
- I.D. - 25 in. wide x 36 in. deep x 56 in. high (635 x 914 x 1422mm)
- O.D. - 31 in. wide x 41 in. deep x 67 in. high (787 x 1041 x 1702mm)
- Floor area is less than 9 sq ft (0.82sq m)
- Net weight - 650 lb (295kg)
- Shipping weight - 710 lb (322kg)



250LP Audiometric Test Booth

THE IAC 250LP MINI BOOTH...

Noise Reduction at 500 Hz Center Octave Band...38dB
Approximate Permissible Outside Levels...70dBA (ANSI); 60 dBA (ISO)

INDUSTRIAL ACOUSTICS COMPANY

Making the World a Quieter Place